

## TUBBO® LOUNGE

A New Outdoor Experience. A Visionary Concept.

### Extended Information

- Common Features
- Options
- Access Solutions




## TUBBO® LOUNGE

**A New Outdoor Experience. A Visionary Concept.**

Extended Information & Technical Data

### Common Features



#### High impact resistant materials

Tubbo is made of compact polycarbonate used in the aerospace industry, which is virtually indestructible.




#### Easy and efficient Transportation

Designed for standard international transport. A 50 lineal metre Tubbo fits within a 40 foot container.



#### Extreme resistance to wind

The Tubbo design replicates the bio mechanical design of trees which is able to resist wind speeds of up to 200 kilometres per hour. (According to each model)




#### Environmental sustainability

Tubbo is reusable and all its materials are recyclable.



#### Customization

The wide range of modular options make each Tubbo installation unique.



#### Cutting-edge design

Tubbo's first class design team transmits its passion for excellence in every detail.



#### Patented Models

The Tubbo patents reflect our level of commitment to constant innovation.




#### Permits and licenses

No building permit is required.



#### Total Weathertight Capacity

100% waterproof and airtight.



#### Modularity

Models can be altered in size or divided at all times, and accessories can be added on demand. (See Options sheet).



#### Quick and easy installation

Tubbo can be easily assembled with just a simple tool and no need for specialised workers. It only takes 15 minutes to install each lineal metre.




#### Easy maintenance

Tubbo requires simple cleaning with pressure water.



#### Mobility

It can be installed and dismantled an unlimited number of times.



#### Printable surface

100% of Tubbo surfaces can be used for customized graphic design and advertising.



## TUBBO® LOUNGE

### A New Outdoor Experience. A Visionary Concept.


Extended Information & Technical Data

#### Options



##### Advanced FX Lighting R

Low consumption and high power LED lights. RGB to create an ambience with all imaginable colours. Remote Control or from any smart phones.



##### Seating (bench)

Harmonizes perfectly with the Tubbo design.



##### Printable surface

100% of Tubbo surfaces can be customised for artistic or advertising purposes. There is a wide range of materials and printing options.



##### Floor finishing options

Tubbo offers standard finishings and installs any type of floor available in the market.



##### Snow load reinforcement

Top surface reinforcements allow Tubbo to resist heavy loads of snow, even when buried.



##### Polycarbonate options

Wide range of solutions.



##### Finishing options (color, maritime protection)

Colours can be customized and parts can be reinforced against corrosive agents in maritime environments.



## TUBBO® LOUNGE

A New Outdoor Experience. A Visionary Concept.

Extended Information & Technical Data

### Access Solutions




#### Butterfly end door

The Butterfly design allows for many combinations and includes a key lock.



#### Back Wall

Blind panel to prevent access.



#### End free access

Open access can sometimes be the best solution.



**TUBBO® LOUNGE**


A New Outdoor Experience. A Visionary Concept.  
 Extended Information & Technical Data

**Tubbo® Lounge Basic Model LO2800**

**Recommended Usages**

Hotels · Restaurants · Bars · Spa · Sunrooms · Terraces · Chill Out · Gyms · Smoking Areas · Usable Space Expansions Events  
 Showrooms · Information Points · Commercial Offices · Conference Rooms ...

**Dimensions**




**Table of Features**

<b>Building materials</b> . . . . .	Steel and UV resistant & high impact resistant Polycarbonate
<b>Max Height</b> . . . . .	2820 mm. (111.02 in.)
<b>Max Width</b> . . . . .	3580 mm. (140.94 in.)
<b>Useful floor width</b> . . . . .	2800 mm. (105.51 in.)
<b>Length per module</b> . . . . .	2060 mm. (81.10 in.)
<b>Min total length</b> . . . . .	2490 mm. (99 in.)
<b>Max total length</b> . . . . .	NO LIMIT
<b>Weight</b> . . . . .	105 Kg/m <sup>2</sup> (232 lb/m <sup>2</sup> ) - 295 Kg/m (lineal).
<b>Ground independent</b> . . . . .	YES
<b>Ballast</b> . . . . .	OPTIONAL
<b>Fire resistance</b> . . . . .	B-s1, d0.
<b>UV protection guarantee</b> . . . . .	10 years
<b>Wind resistance (reinforced)</b> . . . . .	31 m/s. = 60 Knots
<b>Snow load resistance (standard)</b> . . . . .	NO
<b>Snow load resistance (reinforced)</b> . . . . .	475 Kg/m <sup>2</sup> (97 lb/ft <sup>2</sup> )
<b>Delivery volume per 40' container (aprox.)</b> . . . . .	15 linear meters = 50 linear ft.



**TUBBO® LOUNGE**

A New Outdoor Experience. A Visionary Concept.  
 Extended Information & Technical Data



**Tubbo® Lounge Basic Model LO2800**

**Options Available**

<b>Canopy (shade)</b> . . . . .	YES
<b>Ground fixings</b> . . . . .	YES
<b>Ballast</b> . . . . .	YES
<b>Additional ballast for extreme winds</b> . . . . .	YES
<b>Advanced FX Lighting R</b> . . . . .	YES
<b>Integrated quality audio (music/voice)</b> . . . . .	YES
<b>Seating (bench)</b> . . . . .	YES
<b>Socket</b> . . . . .	YES
<b>Printable surface</b> . . . . .	YES
<b>Floor finishing options</b> . . . . .	YES
<b>Curve</b> . . . . .	Big Radius Only
<b>Snow load reinforcement</b> . . . . .	YES
<b>Polycarbonate options</b> . . . . .	ALL (1)
<b>Finishing options (colour, maritime protection)</b> . . . . .	ALL (1)

( 1 ) See Tubbo® Options

**Access Solutions**

<b>Butterfly exit doors</b> . . . . .	YES
<b>Butterfly window at the end</b> . . . . .	YES
<b>Soft exit doors</b> . . . . .	YES
<b>Soft window at the end</b> . . . . .	YES
<b>End cover</b> . . . . .	YES
<b>Free access at the end</b> . . . . .	YES
<b>Lateral door / Emergency exit</b> . . . . .	YES
<b>Lateral free access / emergency exit</b> . . . . .	YES